


NONITORING





Starter Kit

Product No.	Description
SMART-KIT 8	8" tablet with programmation + 120V long range gateway



RTD Temperature Sensor

Product No.	Description
SMART-RTD4	RTD temperature sensor including a 6.5 ft, 4 strand electrical wire and temperature probe
SMART-RTD4- COVER	Protected probe option for temperature sensor compatible with the field sensor support "SPH-SMART-TEN"



SMART-TEN IETT206SF

Tensiometer

Product No.	Description
SMART-TEN	Sensor for tensiometer with transductor, 6.5 ft wire
IETT206SF	6" IRROMETER Tensiometer (0-100cBar) with replaceable ceramic tip
IETT212SF	12" IRROMETER Tensiometer (0-100cBar) with replaceable ceramic tip
IETT218SF	18" IRROMETER Tensiometer (0-100cBar) with replaceable ceramic tip
IETT506LT	6" IRROMETER Tensiometer low tension (0-40cBar) with replaceable ceramic tip
IETT512LT	12" IRROMETER Tensiometer low tension (0-40cBar) with replaceable ceramic tip
IETT518LT	18" IRROMETER Tensiometer low tension (0-40cBar) with replaceable ceramic tip
IETT1001	Starter kit for tensiometer R/SF/LT with a suction cup pump and a container of concentrated solution



Piezometer Water Level Sensor

Product No.	Description
ERAPRMAP-PIEZ	Water level sensor of piezometer type including probe and a 10 meter electrical wire



Ultrasonic Water Level Sensor

Product No.	Description
SMART-LVL	Ultrasonic water level sensor



Repeater

Product No.	Description
SMART-REP	Signal repeater. Used to cross large distances. It serves as a communication bridge between two other sensors when they can't connect together.



Digital Inputs Sensor

Product No.	Description
SMART-NUM	Monitoring of digital state (float switch, contactor). 4 digital inputs



Pressure Sensor

Product No.	Description
ERAPRMAP-PRES	Pressure sensor for liquid 0-300 psi.
	*Other pressure available upon request



4-20 mA Sensor

Product No.	Description
PRGEN-CK-420T	Sensor with 4-20ma output

Field sensor support

Product No.	Description
SPH-SMART-TEN	Stainless steel field sensor support for H ₂ O Monitoring sensor





ERAPRMAP-REL



WAG788312



ERAPRMAP-22MM15

Remote Control

Product No.	Description
ERAPRMAP-REL	The remote control sensor is a multifunction device allowing to control remotely 2 different electrical devices
WAG788312	24V Relay for Remote control sensor. Necessary to control a device (to plug into the magnetic contactor)
ERAPRMAP-22MM15	15 feet extension wire with 2 connectors. Connection between the Remote control sensor and the 24V Relay
ERAPRMAP-C	Ampmeter compatible with the Remote control sensor allowing to know a device's amperage
ERAPRMAP-F	Float compatible with Remote Control sensor



Battery

Product No.	Description
ASMGEN-BATTERY-D	Industrial D type battery - 3 per sensor

Programming



Product No.	Description
-	Programming block allowing automation of some operations

Geolocation

Product No.	Description
-	Fields geolocation on satellite map



201, 1^{re} Avenue, Ham-Nord, QC GOP 1A0, CANADA Tél : (819) 344-2288 | monitoring@h2oinnovation.com